

# **VAPCO PRODUCTS, INC.**

# Safety Data Sheet Power Clean

# **SECTION 1: Identification**

#### **GHS Product identifier**

Product name

Power Clean

Product number

PC-1

Brand

Vapco

#### Recommended use of the chemical and restrictions on use

Heavy-duty detergent concentrate

#### Supplier's details

Name

Vapco Products, Inc.

Address

401 Marshall Road

Valley Park, Missouri 63088

**United States** 

Telephone

(636) 923-2121

Fax

(636) 923-3002

email

info@VapcoProducts.com

#### **Emergency phone number**

(800) 255-3924

## **SECTION 2: Hazard identification**

#### Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200)

- Carcinogenicity, Cat. 2
- Toxic to reproduction, Cat. 1A
- Skin corrosion/irritation, Cat. 1B

GHS label elements, including precautionary statements

#### **Pictogram**



#### Signal word

H360

#### Danger

# Hazard statement(s)

H314

Causes severe skin burns and eye damage

Suspected of causing cancer H351

May damage fertility or the unborn child

Precautionary statement(s)

P201 Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. P202

Do not breathe dust/fume/gas/mist/vapors/spray. P260

Wash hands and other exposed areas thoroughly after handling. P264

Wear protective gloves/protective clothing/eye protection/face protection. P280

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P301+P330+P331

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse P303+P361+P353

skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340

IF IN EYES: Rinse cautiously with water for several minutes. Remove P305+P351+P338

contact lenses if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention. P308+P313

Immediately call a POISON CENTER/doctor if exposed or concerned. P310

Specific treatment (see First Aid on this label). P321 Wash contaminated clothing before reuse. P363

Store locked up. P405

Dispose of contents/container to the specifications of local, regional, P501

national, and international regulations.

# **SECTION 3: Composition/information on ingredients**

#### **Mixtures**

#### **Hazardous components**

# 1. Sodium xylenesulfonate

1 - 20 % (weight) Concentration 215-090-9 EC no. 1300-72-7

CAS no.

2. Sodium metasilicate pentahydrate

1 - 10 % (weight) Concentration

229-912-9 EC no. CAS no. 6834-92-0 014-010-00-8 Index no.

Version: 1.0, Date of issue: 2022-04-25, p. 2 of 11

3. Tetrapotassium pyrophosphate

 Concentration
 1 - 10 % (weight)

 EC no.
 230-785-7

 CAS no.
 7320-34-5

4. Alkylphenol ethoxylate

 Concentration
 1 - 5 % (weight)

 EC no.
 500-315-8

 CAS no.
 127087-87-0

5. Coconut Diethanolamine

 Concentration
 1 - 5 % (weight)

 EC no.
 271-657-0

 CAS no.
 68603-42-9

6. Sodium dodecylbenzene sulfonate

 Concentration
 1 - 5 % (weight)

 EC no.
 268-356-1

 CAS no.
 68081-81-2

# **SECTION 4: First-aid measures**

# Description of necessary first-aid measures

General advice Never give anything by mouth to an unconscious person. If you feel unwell,

seek medical advice (show the label where possible).

If inhaled First, take proper precautions to ensure your own safety before attempting

rescue (e.g. wear appropriate respiratory protective equipment, use the buddy system), then remove the exposed person to fresh air. Keep at rest in

a position comfortable for breathing. Get medical advice/attention.

In case of skin contact Immediately drench affected area with water for at least 15 minutes.

Remove contaminated clothing immediately. Obtain medical attention if

irritation develops or persists.

In case of eye contact Immediately rinse with water for at least 15 minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Obtain medical attention

if irritation develops or persists.

If swallowed Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most important symptoms/effects, acute and delayed

Symptoms/Injuries: Harmful if inhaled. Causes eye and skin irritation.

**Symptoms/Injuries After Skin Contact:** Exposure may cause mild skin irritation. Symptoms may include: redness, itching, and defatting. Skin absorption is possible but harmful effects are unlikely.

**Symptoms/Injuries After Eye Contact:** Exposure to liquid, vapor, or mist may cause mild eye irritation. Symptoms may include: stinging, tearing, redness, and swelling.

**Symptoms/Injuries After Inhalation:** Exposure to vapor or mist may cause mild irritation. Prolonged or repeated exposure may cause irritation to the respiratory tract including the nose, throat, and airways; and central nervous system depression including dizziness, weakness, fatigue, nausea, headache, and unconsciousness.

**Symptoms/Injuries After Ingestion:** Exposure may cause gastrointestinal irritation including nausea, vomiting, and diarrhea.

**Chronic Health Hazards:** Skin disorders, drying and irritation of the skin. Contains components that may cause damage to fertility or the unborn child and is suspected of causing cancer.

**Medical Conditions Aggravated by Exposure:** Skin contact may aggravate existing dermatitis or other significant skin conditions. Inhalation may adversely affect existing respiratory concerns. Note to Physician: The absence of visible signs or symptoms of burns does not reliably exclude the presence of actual tissue damage.

# Indication of immediate medical attention and special treatment needed, if necessary

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

# **SECTION 5: Fire-fighting measures**

# Suitable extinguishing media

Dry chemical, foam, carbon dioxide (CO2), or water spray.

# Specific hazards arising from the chemical

This product contains a large amount of water and will not burn under normal firefighting conditions.

# Special protective actions for fire-fighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use dry chemical, foam, carbon dioxide (CO2), or water spray. Do not breathe fumes from fire or vapors from decomposition. Do NOT fight fire when fire reaches containers. Evacuate area. Fight fire remotely due to the risk of explosion. Shut off all sources of igniton. Use water spray or fog for cooling exposed containers. **Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection. Wear NIOSH-approved Self-Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires.

Hazardous Combustion Products: None known.

#### **Further information**

Do not allow run-off from fire fighting to enter drain or water courses.

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe vapors, spray, mist, gas. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

#### For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel. Stop leak if safe to do so,

#### For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

**Emergency Procedure:** Eliminate ignition source first, then ventilate the area. Evacuate unnecessary personnel, isolate, and ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

## **Environmental precautions**

Prevent entry into sewers and public waters. Avoid release to the environment.

#### Methods and materials for containment and cleaning up

**Methods for Containment:** Ventilate area. Contain any spills with dikes or absorbents to prevent further migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions. **Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Eliminate all ignition sources. Ventilate area. Stop the ignition source of the release, if safe to do so. Consider the use of water spray to disperse vapors. Isolate the area until gas has dispersed. Ventilate and gas test area before entering. Take up liquid spill into absorbent material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

**Waste Disposal:** Dispose of in accordance with local, regional, national, and international regulations. Containers may be hazardous when empty. Do not flame cut, braze, or weld.

#### Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

# **SECTION 7: Handling and storage**

# Precautions for safe handling

Additional Hazards When Processed: Do not pressurize, cut, or weld containers. Do not pierce or burn, even after use.

**Precautions for Safe Handling:** Do not handle until all safety precautions have been read and understood. Avoid contact with skin, eyes and clothing. Do not breathe gas, mist, spray, vapors. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not spray on open flame or other ignition source.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

#### Conditions for safe storage, including any incompatibilities

**Technical Measures:** Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.

**Storage Conditions:** Store in a dry, cool place. Keep only in the original container in a cool, well-ventilated place away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area.

Incompatible Materials: Strong oxidizing material

Storage Temperature: <50°C/122°F.

#### Specific end use(s)

Heavy-duty detergent concentrate

# SECTION 8: Exposure controls/personal protection

# **Control parameters**

CAS: 127087-87-0 (EC: 500-315-8)

Alkylphenol ethoxylate

ACGIH (USA): 10 mg/m3 TWA inhalation

## Appropriate engineering controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Use explosion-proof equipment. Proper grounding procedures to avoid static electricity should be followed. Use only outdoors or in well-ventilated area. Ensure all local, regional, national, and international regulations are observed. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

# Individual protection measures, such as personal protective equipment (PPE)

# **Pictograms**











Eye/face protection

Chemical safety goggles. Insufficient ventilation: wear respiratory protection. Respiratory protection of the dependent type.

Skin protection

Wear protective gloves and clothing.

Respiratory protection

Use a NIOSH-approved Self-Containing Breathing Apparatus whenever exposure may exceed established Occupational Exposure Limits.

# SECTION 9: Physical and chemical properties and safety characteristics

## Basic physical and chemical properties

Physical state

Appearance

Color

Odor

Odor threshold

Melting point/freezing point

Boiling point or initial boiling point and boiling range

Flammability

Lower and upper explosion limit/flammability limit

Flash point

Auto-ignition temperature

Decomposition temperature

рΗ

Kinematic viscosity

Solubility

Partition coefficient n-octanol/water (log value)

Vapor pressure Evaporation rate

Density and/or relative density

Relative vapor density

Particle characteristics

Further safety characteristics (supplemental)

Percent VOC: 0%

Percent solids: N/D

Dielectric Strength (Volts): N/D

Liquid

Liquid

Green

Characteristic

N/D

N/D

212°F at 760 mmHg

Not considered a flammable liquid by OSHA (29CFR

1910.1200)

N/D

212 °F (TCC)

N/D N/D

N/D

N/D

Soluble in water

N/D N/D

Slower than ether

> 1

> 1

# **SECTION 10: Stability and reactivity**

#### Reactivity

This product may react with strong oxidizing agents.

#### **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

None under normal processing.

#### Conditions to avoid

Direct sunlight, extremely high or low temperatures, heat, hot surfaces, sparks, open flames, incompatible materials, and other ignition sources.

## Incompatible materials

Strong oxidizing agents.

# Hazardous decomposition products

None known.

# **SECTION 11: Toxicological information**

# Information on toxicological effects

## **Acute toxicity**

The ATE (gas inhalation) of the mixture is: 90000 ppmV The ATE (oral) of the mixture is: 5000 mg/kg bw

#### Alkylphenol ethoxylate

LC50 - Pimephales promelas (fathead minnow) - 3.8 - 6.2 mg/l - 96 h LC50 - Daphnia magna (water flea) - 9.3 - 21.4 mg/l - - 9.3 - 21.4 mg/l IC50 - Bacteria - > 1,000 mg/l - 16 h

# Dodecylbenzene sodium sulfonate

LD50 Oral - Rat - 1090 mg/kg

# Sodium metasilicate pentahydrate

LD50 Oral - Rat - 847 mg/kg

#### Sodium xylenesulfonate

LD50 Oral - Rat -male and female - >= 7,200 mg/kg LD50 Oral - Rabbit -male and female - > 2,000 mg/kg

# Tergitol Type NP-4

LD50 Oral - Rat - 960-3,980 mg/kg

LC50 Inhalation - Rat - 1.15 mg/l - 4 h

LD50 Skin - Rabbit - 2,000-2,991 mg/kg

## Tetrapotassium pyrophosphate

LC50 Inhalation - Rat - >1.1 mg/l - 4 h

LD50 Skin - Rabbit - >4,640 mg/kg

LD50 Skin - Rabbit - >2,000 mg/kg EC50 - Daphnia magna (water flea) - >100 mg/l - 48 h

#### Skin corrosion/irritation

Causes drying and irritation of the skin.

#### Serious eye damage/irritation

Causes severe burns, stinging, redness, tearing, and swelling. Burning may not be immediately painful or visible.

## Respiratory or skin sensitization

Pre-existing disorders of the skin, respiratory system, and eyes will be aggravated by overexposure.

#### Germ cell mutagenicity

None known.

#### Carcinogenicity

Some components of this product are suspected of causing cancer.

## Reproductive toxicity

Some components of this product may be damaging to fertility or the unborn child.

### STOT-single exposure

None known.

#### STOT-repeated exposure

Skin disorders, drying and irritation of the skin.

#### **Aspiration hazard**

Causes irritation to the respiratory tract, coughing, shortness of breath.

# **SECTION 12: Ecological information**

# **Toxicity**

The ATE (gas inhalation) of the mixture is: 90000 ppmV The ATE (oral) of the mixture is: 5000 mg/kg bw

#### Alkylphenol ethoxylate

LC50 - Pimephales promelas (fathead minnow) - 3.8 - 6.2 mg/l - 96 h LC50 - Daphnia magna (water flea) - 9.3 - 21.4 mg/l - - 9.3 - 21.4 mg/l IC50 - Bacteria - > 1,000 mg/l - 16 h

#### Dodecylbenzene sodium sulfonate

LD50 Oral - Rat - 1090 mg/kg

# Sodium metasilicate pentahydrate

LD50 Oral - Rat - 847 mg/kg

#### Sodium xylenesulfonate

LD50 Oral - Rat -male and female - >= 7,200 mg/kg

LD50 Oral - Rabbit -male and female - > 2,000 mg/kg

Tergitol Type NP-4 LD50 Oral - Rat - 960-3,980 mg/kg LC50 Inhalation - Rat - 1.15 mg/l - 4 h LD50 Skin - Rabbit - 2,000-2,991 mg/kg

Tetrapotassium pyrophosphate LC50 Inhalation - Rat - >1.1 mg/l - 4 h LD50 Skin - Rabbit - >4,640 mg/kg LD50 Skin - Rabbit - >2,000 mg/kg EC50 - Daphnia magna (water flea) - >100 mg/l - 48 h

## Persistence and degradability

This product is biodegradable.

#### Bioaccumulative potential

This product is not expected to bioaccumulate.

#### Mobility in soil

This product is mobile in soil.

# **SECTION 13: Disposal considerations**

# **Disposal methods**

#### **Product disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations. Do not pierce or burn, even after use.

## **Waste treatment**

Product should be fully characterized prior to disposal (40 CFR 261).

## Sewage disposal

Avoid release into the environment. Keep out of sewers and waterways.

#### Other disposal recommendations

Container may remain hazardous when empty. Continue to observe all precautions. Do not puncture or incinerate container.

# **SECTION 14: Transport information**

DOT (US)

UN Number: UN3266

Class: 8

Packing Group: II

Proper Shipping Name: Corrosive liquid, basic, inorganic, n.o.s.

**IMDG** 

UN Number: UN3266

Class: 8

Packing Group: II

Proper Shipping Name: Corrosive liquid, basic, inorganic, n.o.s.

**IATA** 

UN Number: UN3266

Class: 8

Packing Group: II

Proper Shipping Name: Corrosive liquid, basic, inorganic, n.o.s.

# **SECTION 15: Regulatory information**

# Safety, health and environmental regulations specific for the product in question

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **Canadian Domestic Substances List (DSL)**

Chemical name: Diphosphoric acid, tetrapotassium salt

CAS: 7320-34-5

Chemical name: Silicic acid (H2SiO3), disodium salt

CAS: 6834-92-0

Chemical name: Benzenesulfonic acid, dimethyl-, sodium salt

CAS: 1300-72-7

Chemical name: Poly(oxy-1,2-ethanediyl),  $\alpha$ -(4-nonylphenyl)- $\omega$ -hydroxy-, branched

CAS: 127087-87-0

Chemical name: Amides, coco, N,N-bis(hydroxyethyl)

CAS: 68603-42-9

Chemical name: Benzenesulfonic acid, mono-C10-16-alkyl derivs., sodium salts

CAS: 68081-81-2

# **New Jersey Right To Know Components**

Tetrapotassium pyrophosphate

CAS-No. 7320-34-5

Disodium metasilicate pentahydrate

CAS-No. 10213-79-3 Sodium xylenesulphonate CAS-No. 1300-72-7 Alkylphenol ethoxylate CAS-No. 127087-87-0

# Pennsylvania Right To Know Components

Tetrapotassium pyrophosphate CAS-No. 7320-34-5 Disodium metasilicate pentahydrate CAS-No. 10213-79-3 Sodium xylenesulphonate CAS-No. 1300-72-7 Alkylphenol ethoxylate

#### **SARA 302 Components**

CAS-No. 127087-87-0

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 311/312 Hazards

Acute Health Hazard

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **Toxic Substances Control Act (TSCA) Inventory**

All chemicals are listed or exempt.

## **HMIS Rating**

Power Clean				
HEALTH	1			
FLAMMABILITY	0			
PHYSICAL HAZARD	0			
PERSONAL PROTECTION	Х			

#### **NFPA Rating**



# **SECTION 16: Other information**

N/A = Not applicable; N/D = Not determined

#### Further information/disclaimer

To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.

#### **Preparation information**

Prepared by: Jessica Wilson Date prepared: 4-26-2022